

Couplers & Plugs



C45



C46



C35



C36



CP37



CP36



C1



CP1



C2



CP2



C2-44

Camel No. Amflo No.

1/4" Series (Aro Series) Type "B" Coupler and Plug Set

Retail pack of one female 1/4" NPT coupler and one male 1/4" NPT plug on an attractive blister card.

61-530 C38AU

Thread Type	NPT Size	Type Metal	COUPLERS			PLUGS		
			Camel No.	Amflo No.	Schrader No.	Camel No.	Amflo No.	Schrader No.

1/4" Series (Aro Push-to-Connect) Type "B"

Push-to-connect couplers are automatically connected by pushing the plug into the coupler. Especially useful for hooking up implements. Allows one hand operation. Maximum working pressure 300 PSI.

Male	1/4"	Steel	61-581	C45	3525	CP37
Female	1/4"	Steel	61-518	C46	3526	CP38

3/8" Aro Series (Maximum working pressure 300 PSI)

Male	3/8"	Steel		C35		CP35
Female	3/8"	Steel		C36		CP36

1/4" Automotive Standard Series Type "C"

Plated steel couplers have hardened steel balls and stainless steel springs. Coupler plugs are heat treated to reduce wear on critical mating surfaces. The Automotive Series couplers interchange with Tru-Flate 10 and 100 type series as well as units produced by other manufacturers. Maximum working pressure 300 PSI.

Male	1/4"	Steel	61-524	C1	3503	61-538	CP1	3506
Male	1/4"	Brass		C1B			CP1B	
Male	3/8"	Steel		C1-03			CP1-03	
Female	1/4"	Steel	61-523	C2	3504	61-539	CP2	3507
Female	1/4"	Brass		C2B			CP2B	
Female	3/8"	Steel		C2-23			CP2-23	
Female	3/8"	Brass		C2-23B			CP2-23B	
Hose Barb	1/4"	Steel		C2-42			CP1-42	
Hose Barb	1/4"	Brass		C2-42B				
Hose Barb	3/8"	Steel		C2-44			CP1-44	
Lock-On Barb	1/4"	Steel		C2-42L			CP1-42L	
Lock-On Barb	3/8"	Steel		C2-44L			CP1-44L	

See price sheet for packaging options.

Camel
No.

The "All-U-Need" Air Tool Kit

Complete kit with all the air tool accessories you need – oil, couplers and plugs.
Provides convenience and improved performance for your tools.

61-520 Kit contains: 2 ea. C2B, 4 ea. CP1, 2 ea. CP2 and 1 ea. 1220-4



Camel No. Amflo No.

Thread Type	NPT Size	Type Metal	COUPLERS		PLUGS			
			Camel No.	Amflo No.	Camel No.	Amflo No.	Schrader No.	Thread/Length
1/4" Recapper Series								
Female	1/4"	Steel	61-487	C2R	61-544	CP12	3508	.302-32 Std.
Female	1/4"	Brass	61-545	C2RB	61-552	CP14	3510	.482-26 2-3/4"
Female	1/4"	Brass			61-543			.302-32 Std.



CP12

Thread Type	NPT Size	Type Metal	COUPLERS			PLUGS		
			Camel No.	Amflo No.	Schrader No.	Camel No.	Amflo No.	Schrader No.
3/8" Automotive Standard Series Type "G"								
Male	1/4"	Steel	61-478	C7		61-480	CP7	3519
Male	3/8"	Steel	61-554	C5	3515	61-558	CP5	3517
Male	1/2"	Steel		C5-04			CP5-04	
Female	1/4"	Steel	61-476	C8	3521	61-481	CP8	3520
Female	3/8"	Steel	61-553	C6		61-559	CP6	3518
Female	3/8"	Brass		C6B				
Female	1/2"	Steel		C6-24			CP6-24	
Hose Barb	1/4"	Steel		C6-42			CP5-42	
Hose Barb	3/8"	Steel		C6-44			CP5-44	
Hose Barb	1/2"	Steel		C6-45				
Lock-On Barb	1/4"	Steel		C6-42L			CP5-42L	
Lock-On Barb	3/8"	Steel		C6-44L			CP5-44L	



C7



CP7



C8



61-481

See price sheet for packaging options.

Couplers & Plugs

61-564



C9-03



CP10



61-574



C20



61-578



C20-42L



C20-44



C21



CP21-44



COUPLERS

PLUGS

Thread Type	NPT Size	Type Metal	Camel No.	Amflo No.	Camel No.	Amflo No.
-------------	----------	------------	-----------	-----------	-----------	-----------

1/2" Automotive Standard Series Type "F"

Plated steel couplers have hardened steel balls and stainless steel springs. Coupler plugs are heat treated to reduce wear on critical mating surfaces. **Maximum working pressure 300 PSI.**

Male	3/8"	Steel		C9-03	61-474	CP9-03
Male	1/2"	Steel	61-564	C9	61-568	CP9
Female	3/8"	Steel	61-472	C10-23	61-475	CP10-23
Female	1/2"	Steel	61-563	C10	61-569	CP10
Hose Barb	1/2"	Steel		C10-45		CP9-45

1/4" Industrial Interchange Series Type "D"

Plated steel couplers have hardened steel balls and stainless steel springs. Coupler plugs are heat treated to reduce wear on critical mating surfaces. The Industrial Interchange Series couplers interchange with Aro, Foster, Milton as well as units produced by other manufacturers. **Maximum working pressure 300 PSI.**

Male	1/4"	Steel	61-574	C21	61-578	CP21
Male	1/4"	Brass	61-715	C21B		CP21B
Male	3/8"	Steel		C21-03	61-535	CP21-03
Male	3/8"	Brass		C21-03B		CP21-03B
Female	1/4"	Steel	61-573	C20	61-579	CP20
Female	1/4"	Brass	61-717	C20B		CP20B
Female	3/8"	Steel		C20-23		CP20-23
Female	3/8"	Brass	61-718	C20-23B		CP20-23B
Hose Barb	1/4"	Steel		C20-42		CP21-42
Hose Barb	1/4"	Brass	61-719	C20-42B		
Hose Barb	3/8"	Steel		C20-44		CP21-44
Hose Barb	3/8"	Brass	61-720	C20-44B		CP21-44B
Lock-On Barb	1/4"	Steel		C20-42L		CP21-42L
Lock-On Barb	3/8"	Steel		C20-44L		CP21-44L
Female	1/4"	Steel			(.302-32) 61-023	CP22

See price sheet for packaging options.