

All Standard Recoil Hose 200 psi

Camel
No.

Amflo
No.

Schrader
No.

All Heavy Duty Recoil Hose 280 psi

Description

Color

Recoil Hose - Standard, Nylon 11, Double Swivels, 200 PSI

	3-12		3/16" x 12', 1/4" Swivel Fittings	Red
	3-25		3/16" x 25', 1/4" Swivel Fittings	Red
	3-50		3/16" x 50', 1/4" Swivel Fittings	Red
55-460	4-12	6127	1/4" x 12', 1/4" Swivel Fittings	Yellow
55-461	4-25	6127A	1/4" x 25', 1/4" Swivel Fittings	Yellow
	4-25D		Display Pack 4-25	Yellow
55-462	4-50	6127B	1/4" x 50', 1/4" Swivel Fittings	Yellow
	4-50D		Display Pack	Yellow
	5-12		5/16" x 12', 1/4" Swivel Fittings	Red
	5-25		5/16" x 25', 1/4" Swivel Fittings	Red
	6-12	6128A	3/8" x 12', 3/8" Swivel Fittings	Yellow
55-470	6-25	6128B	3/8" x 25', 3/8" Swivel Fittings	Yellow
55-471			3/8" x 50', 3/8" Swivel Fittings	Yellow
	6-12A		3/8" x 12', 1/4" Swivel Fittings	Yellow
	6-25A		3/8" x 25', 1/4" Swivel Fittings	Yellow
	8-12		1/2" x 12', 1/2" Swivel Fittings	Yellow
	8-25		1/2" x 25', 1/2" Swivel Fittings	Yellow
	8-50		1/2" x 50', 1/2" Swivel Fittings	Yellow
	9-25		3/4" x 25', 3/4" Swivel Fittings	Red
	9-50		3/4" x 50', 3/4" Swivel Fittings	Red



3-12



4-25

Recoil Hose-Bulk (no fittings), 200 PSI

1-100	1/8" x 100'	Bulk Recoil Hose	Red
3-100	3/16" x 100'	Bulk Recoil Hose	Red
4-100	1/4" x 100'	Bulk Recoil Hose	Red
5-100	5/16" x 100'	Bulk Recoil Hose	Red
6-100	3/8" x 100'	Bulk Recoil Hose	Red
8-100	1/2" x 100'	Bulk Recoil Hose	Red
9-100	3/4" x 100'	Bulk Recoil Hose	Red



6-12

Recoil Hose-Heavy Duty, Bulk (no fittings), 280 PSI

14-100	1/4" x 100'	Heavy Duty	Blue
16-100	3/8" x 100'	Heavy Duty	Blue

Recoil Hose-Fitted, Double Swivel, 200 PSI


4-12M	1/4" x 12', 1/4" male	Double Swivels	Yellow
4-25M	1/4" x 25', 1/4" male	Double Swivels	Yellow
4-50M	1/4" x 50', 1/4" male	Double Swivels	Yellow
6-12M	3/8" x 12', 3/8" male	Double Swivels	Yellow
6-25M	3/8" x 25', 3/8" male	Double Swivels	Yellow
6-50M	3/8" x 50', 3/8" male	Double Swivels	Yellow
6-12MA	3/8" x 12', 1/4" male	Double Swivels	Yellow
6-25MA	3/8" x 25', 1/4" male	Double Swivels	Yellow
6-50MA	3/8" x 50', 1/4" male	Double Swivels	Yellow
8-12M	1/2" x 12', 1/2" male	Double Swivels	Yellow
8-25M	1/2" x 25', 1/2" male	Double Swivels	Yellow
8-50M	1/2" x 50', 1/2" male	Double Swivels	Yellow



14-25

Recoil Hose-Heavy Duty, Double Swivel, 280 PSI

14-12	1/4" x 1', Heavy Duty, 1/4" male	Double Swivels	Blue
14-25	1/4" x 25', Heavy Duty, 1/4" male	Double Swivels	Blue
14-50	1/4" x 50', Heavy Duty, 1/4" male	Double Swivels	Blue
16-12	3/8" x 12', Heavy Duty, 3/8" male	Double Swivels	Blue
16-25	3/8" x 25', Heavy Duty, 3/8" male	Double Swivels	Blue



Amflo No.

Description

Color

Recoil Hose-Fitted, Double Swivel- Nylon 6 "Economy"

4-25E	1/4" x 25' Economy hose, 1/4" Double Swivel	Yellow
4-50E	1/4" x 50' Economy hose, 1/4" Double Swivel	Yellow

Polyurethane Hose Assemblies with Pigtails/Male Solid

23-10	3/16" x 10' Polyurethane with pigtails, 1/4" male solids	Yellow
23-20	3/16" x 20' Polyurethane with pigtails, 1/4" male solids	Yellow
24-10	1/4" x 10' Polyurethane with pigtails, 1/4" male solids	Yellow
24-20	1/4" x 20' Polyurethane with pigtails, 1/4" male solids	Yellow
24-30	1/4" x 30' Polyurethane with pigtails, 1/4" male solids	Yellow
25-10	5/16" x 10' Polyurethane with pigtails, 1/4" male solids	Yellow
25-20	5/16" x 20' Polyurethane with pigtails, 1/4" male solids	Yellow
25-30	5/16" x 30' Polyurethane with pigtails, 1/4" male solids	Yellow
26-10	3/8" x 10' Polyurethane with pigtails, 3/8" male solids	Yellow
26-20	3/8" x 20' Polyurethane with pigtails, 3/8" male solids	Yellow
26-30	3/8" x 30' Polyurethane with pigtails, 3/8" male solids	Yellow
26-10A	3/8" x 10' Polyurethane with pigtails, 1/4" male solids	Yellow
26-20A	3/8" x 20' Polyurethane with pigtails, 1/4" male solids	Yellow
26-30A	3/8" x 30' Polyurethane with pigtails, 1/4" male solids	Yellow
28-10	1/2" x 10' Polyurethane with pigtails, 1/2" male solids	Yellow
28-20	1/2" x 20' Polyurethane with pigtails, 1/2" male solids	Yellow
28-30	1/2" x 30' Polyurethane with pigtails, 1/2" male solids	Yellow

Replacement Fitting Kits

(fitting, nut insert, ferrule, spring guard) - NYLON

1-0	1/8" fitting, nut insert, ferrule, spring guard for 1/8" I.D. hose
3-0	1/4" fitting, nut insert, ferrule, spring guard for 3/16" I.D. hose
4-0	1/4" fitting, nut insert, ferrule, spring guard for 1/4" I.D. hose
6-0	3/8" fitting, nut insert, ferrule, spring guard for 3/8" I.D. hose
6-2	1/4" fitting, nut insert, ferrule, spring guard for 3/8" I.D. hose
8-0	1/2" fitting, nut insert, ferrule, spring guard for 1/2" I.D. hose

Replacement Fitting Kits (Body, Nut, Ferrule)

23-0	Replacement fitting for 3/16" Polyurethane hose, 1/4" fittings
24-0	Replacement fitting for 1/4" Polyurethane hose, 1/4" fittings
25-0	Replacement fitting for 5/16" Polyurethane hose, 1/4" fittings
14-0	Replacement fitting for 1/4" H.D Nylon hose, 1/4" fittings

Aqua Pro Recoil Water Hose

5-25E	25' Recoil hose with garden hose fitting & quick disconnect, multi-position nozzle	Green
5-50E	50' Recoil hose with garden hose fitting & quick disconnect, multi-position nozzle	Green



KEEP OUT OF REACH OF CHILDREN

WARNING: This product is designed for use on regulated compressed air lines or on air compressors where air pressure does not exceed 200 PSI. Do not exceed the pressure limitation of the hose and/or air operated devices being used. Failure to follow these specifications and directions exactly may result in personal injury and/or property damage.

Amflo No.	Color	PSI	Description
PVC - Light Weight			
522-25	Yellow	250	1/4" x 25', 1/4" Fittings
522-50	Yellow	250	1/4" x 50', 1/4" Fittings
522-100	Yellow	250	1/4" x 100', 1/4" Fittings
524-25	Blue	300	3/8" x 25', 3/8" Fittings
524-25A	Blue	300	3/8" x 25', 1/4" Fittings
524-50	Blue	300	3/8" x 50', 3/8" Fittings
524-50A	Blue	300	3/8" x 50', 1/4" Fittings
524-100	Blue	300	3/8" x 100', 3/8" Fittings
524-100A	Blue	300	3/8" x 100', 1/4" Fittings
535-50A	Blue	300	1/2" x 50', 1/4" Fittings

PVC			
554-25A with Board/Sleeves	Blue	300	3/8" x 25', 1/4" Fittings
554-50A with Board/Sleeves	Blue	300	3/8" x 50', 1/4" Fittings
554-100A with Board/Sleeves	Blue	300	3/8" x 100', 1/4" Fittings
575-50A	Day Glo Yellow	300	3/8" x 50', 1/4" Fittings
576-25A	Day Glo Orange	300	3/8" x 25', 1/4" Fittings
576-50A	Day Glo Orange	300	3/8" x 50', 1/4" Fittings
578-50A	Day Glo Green	300	3/8" x 100', 1/4" Fittings

Rubber			
512-25 Heavy Duty	Red	300	1/4" x 25', 1/4" Fittings
512-50 Heavy Duty	Red	300	1/4" x 50', 1/4" Fittings
512-100 Heavy Duty	Red	300	1/4" x 100', 1/4" Fittings
514-25 Heavy Duty	Red	300	3/8" x 25', 3/8" Fittings
514-25A Heavy Duty	Red	300	3/8" x 25', 1/4" Fittings
514-50 Heavy Duty	Red	300	3/8" x 50', 3/8" Fittings
514-50A Heavy Duty	Red	300	3/8" x 50', 1/4" Fittings
514-100 Heavy Duty	Red	300	3/8" x 100', 3/8" Fittings
514-100A Heavy Duty	Red	300	3/8" x 100', 1/4" Fittings
515-50 Heavy Duty	Red	300	1/2" x 50', 1/2" Fittings
515-50A Heavy Duty	Red	300	1/2" x 50', 3/8" Fittings
505-50A with Board/Sleeves	Red	300	1/2" x 50', 3/8" Fittings
552-50A with Board/Sleeves	Red	300	3/8" x 25', 1/4" Fittings
552-100A with Board/Sleeves	Red	300	3/8" x 50', 1/4" Fittings
555-50A with Board/Sleeves	Gray	300	3/8" x 50', 1/4" Fittings

PVC - Bulk Reels			
575-500	Day Glo Yellow	300	3/8" x 500'
576-500	Day Glo Orange	300	3/8" x 500'
578-500	Day Glo Green	300	3/8" x 500'

Rubber - Bulk Reels			
502-500 Standard Duty	Red	200	1/4" x 500'
503-500 Standard Duty	Red	200	5/16" x 500'
504-500 Standard Duty	Red	200	3/8" x 500'
505-500 Standard Duty	Red	200	1/2" x 500'
506L-500 Lock On	Gray	300	1/4" x 500'
508L-500 Lock On	Gray	300	3/8" x 500'
512-500 Heavy Duty	Red	300	1/4" x 500'
514-500 Heavy Duty	Red	300	3/8" x 500'
515-500 Heavy Duty	Red	300	1/2" x 500'

KEEP OUT OF REACH OF CHILDREN

WARNING: This product is designed for use on regulated compressed air lines or on air compressors where air pressure does not exceed 300 PSI. Do not exceed the pressure limitation of the hose and/or air operated devices being used. Failure to follow these specifications and directions exactly may result in personal injury and/or property damage.



522-25

554-50A



576-50A

512-25



552-50A

555-50A



Hose Assemblies, Air / Multi-Purpose Hose

Amflo No. Color PSI Description

Lead-In and Whip Hose

25L-24B	Gray	300	1/4" x 24" Ball Swivel Lead-In
25L-24BD	Gray	300	1/4" x 24" Display Pack
25L-60B	Gray	300	1/4" x 60" Ball Swivel Lead-In
25L-60BD	Gray	300	1/4" x 60" Display Pack
28L-24B	Gray	300	1/4" x 24" Lead-In with Valve
28L-24BD	Gray	300	1/4" x 24" Display Pack
28L-60B	Gray	300	1/4" x 60" Lead-In with Valve
37L-24B	Gray	300	3/8" x 24" Lead-In, 1/4" (M) x 1/4" (F)
37L-30B	Gray	300	3/8" x 30" Lead-In, 1/4" Ball Swivel
37L-30BD	Gray	300	3/8" x 30" Display Pack
37L-72B	Gray	300	3/8" x 72" Lead-In, 1/4" Ball Swivel
37L-72BD	Gray	300	3/8" x 72" Display Pack
39-30B	Blue	300	3/8" x 30" PVC Lead-In Hose
39-30G	Green	300	3/8" x 30" PVC Lead-In Hose
39-30O	Orange	300	3/8" x 30" PVC Lead-In Hose
39-30Y	Yellow	300	3/8" x 30" PVC Lead-In Hose
39-30R	Red	300	3/8" x 30" PVC Lead-In Hose



28L-24B

Camel Amflo Hose Hose PSI
No. No. ID OD Rating

Air and Water Hose

Smooth red cover is very tough and resistant to oil and grease. Use barbed type fittings or reusable hose fittings.

*Actual length may vary from reel to reel.

Standard Duty Hose

502-500*	1/4"	.531	250
503-500*	5/16"	.625	250
504-500*	3/8"	.688	250
505-500*	1/2"	.844	250

Heavy Duty Hose

Smooth red cover is tough and resistant to oil and grease. Hose has same qualities as standard duty hose but has higher PSI ratings.

512-500*	1/4"	.531	300
514-500*	3/8"	.688	300
515-500*	1/2"	.844	300

Amflo
No. Size and Length

Lock-On Hose

Special hose designed for lock-on fittings which are much quicker to use and do not need ferrules. Cut hose to length and push in fitting. The special weave of the hose grips fitting and holds it securely beyond burst strength of the hose itself. Doesn't require crimping.

Warning: Use only fittings made specifically for Lock-On hose. Conventional barb type will not hold securely. Working pressure 250 PSI.

506L-100	1/4" x 100'
508L-100	3/8" x 100'
506L-500	1/4" x 500'
508L-500	3/8" x 500'

Camel Amflo
No. No.


Other Hose

Signal Bell Hose. Durable rubber hose. 200 PSI. Black.

57-411	494-100
	494-500 Heavy-Duty, Bulk Reel



37L-30B



29-130

Heavy-Duty Polypropylene Shelf Bins

Durable bins for bulk products. May be used on shelves or with gondolas in the display area. Convenient hopper front. Has wide label slot. Reinforced sides, water and oil resistant. 12 pack.

Dimensions: 11-5/8" long x 6-5/8" wide x 4" high.

29-130 29-130



Amflo No. Description

Non-Retractable Hose Reel

Features:

- Spring tension brake
- All steel construction
- Solid brass 1/4" fittings
- Comfortable swivel handle
- Can be mounted in any direction
- Reel capacity is 150' of 5/8" O.D. hose

500HR-RET

Reel with 3/8" X 50'
PVC Hose – Includes

501HR-RET

Bonus Blow Gun Kit

502HR-RET

Reel and Hose Only

Reel Only

Bonus!

Blow Gun Kit
Included With
500HR-RET



Amflo No. Description

Retractable Hose Reel

Features:

- All steel construction for industrial applications.
- Spring powered auto rewind
- Ideal for mounting on the wall, floor or ceiling
- Guide arm adjustable for different angles
- Valve assembly handles up to 250 psi and 25 cfm
- Locking ratchet brake

510HR-RET

Reel with 3/8" X 25'

505HR-RET

Rubber Hose

515HR-RET

Reel with 3/8" X 50'

515HR-RET

Rubber Hose

520HR-RET

Reel with 1/2" X 50'

Rubber Hose

522HR-RET

Stainless Steel

525HR-RET

Reel with 3/8" X 25'

Rubber Hose

550HR-RET

Enclosed Reel with 3/8" X 30'

Rubber Hose

Enclosed Reel with 3/8" X 50'

Rubber Hose

Plastic Enclosed Garden Hose

Retractable Reel 75'

