




# WRAPS & DISCS

## MTG, MTB, MTK Series Polyester and Polyimide Masking Tape for Powder Coating



Caplugs High Temperature Masking Tapes are ideal for masking applications during powder coating, plating and finishing. Series MTG is a 2-Mil polyester film backing with a 1.5-Mil silicone adhesive that offers superior resiliency at temperatures up to 400°F (204°C). Series MTB, a thinner (0.75-Mil polyester film/2.25-Mil adhesive) version of MTG, is stocked in a blue color and is ideal for masking curved surfaces. Series MTK, with a Kapton® polyimide film backing, will withstand temperatures up to 500°F (260°C).



### SPECIFICATIONS:

#### MTG Green Masking Tape

	Backing	Adhesive
Material:	Polyester	Silicone
Thickness:	2.0 Mil	1.5 Mil
Color:	Green	Clear
Temperature:	400°F (204°C)	

#### MTK Gold Kapton® Masking Tape

	Backing	Adhesive
Material:	Polyimide	Silicone
Thickness:	1.0 Mil	1.5 Mil
Color:	Gold	Clear
Temperature:	500°F (260°C)	


#### MTB Blue Masking Tape

	Backing	Adhesive
Material:	Polyester	Silicone
Thickness:	0.75 Mil	2.25 Mil
Color:	Blue	Clear
Temperature:	400°F (204°C)	

## MDG, MDK Series Polyester and Polyimide Masking Discs for Powder Coating



Caplugs Masking Discs are available from stock in two styles: Series MDG, a 2-Mil polyester film backing with a 1.5-Mil silicone adhesive that offers a superior resiliency at temperatures up to 400°F (204°C); and Series MDK, which has a Kapton® polyimide film backing that will withstand temperatures up to 500°F (260°C). Caplugs Masking Discs have broad applications in powder coating, electroplating, chrome plating, anodizing and solder wave applications.



#### MDG Green Masking Disc

	Backing	Adhesive
Material:	Polyester	Silicone
Thickness:	2.0 Mil	1.5 Mil
Color:	Green	Clear
Temperature:	400°F (204°C)	

#### MDK Gold Kapton® Masking Disc

	Backing	Adhesive
Material:	Polyimide	Silicone
Thickness:	1.0 Mil	1.5 Mil
Color:	Gold	Clear
Temperature:	500°F (260°C)	



## MTG, MTB, MTK Series

Caplug No.	Dimensions				Packaging			Caplug No.	
	A		Length Per Roll		Standard Carton		Mini Pak Quantity		
	in	mm	yds	m	Shipping Wt. (Approx.)				
				lbs	kgs	No. of Rolls			
<b>MTG Green Masking Tape</b>									
MTG 1/2-72	0.50	12.70	72	21.95	2	0.9	6	N/A	MTG 1/2-72
MTG 3/4-72	0.75	19.05	72	21.95	2	0.9	4	N/A	MTG 3/4-72
MTG 1-72	1.00	25.40	72	21.95	3	1.3	5	N/A	MTG 1-72
MTG 1 1/2-72	1.50	38.10	72	21.95	4	1.8	5	N/A	MTG 1 1/2-72
MTG 2-72	2.00	50.80	72	21.95	5	2.2	5	N/A	MTG 2-72
<b>MTB Blue Masking Tape</b>									
MTB 1/2-72	0.50	12.70	72	21.95	2	0.9	6	N/A	MTB 1/2-72
MTB 1-72	1.00	25.40	72	21.95	3	1.3	4	N/A	MTB 1-72
MTB 1 1/2-72	1.50	38.10	72	21.95	4	1.8	5	N/A	MTB 1 1/2-72
MTB 2-72	2.00	50.80	72	21.95	5	2.2	5	N/A	MTB 2-72
<b>MTK Gold Kapton® Masking Tape</b>									
MTK 1/2-36	0.50	12.70	36	10.97	2	0.9	6	N/A	MTK 1/2-36
MTK 1-36	1.00	25.40	36	10.97	3	1.3	4	N/A	MTK 1-36

## MDG, MDK Series

Caplug No.	Dimensions			Packaging			Caplug No.	
	A		Discs Per Roll	Standard Carton		Mini Pak Quantity		
	in	mm		Shipping Wt. (Approx.)				
			lbs	kgs	No. of Rolls			
<b>MDG Green Masking Disc</b>								
MDG 1/4-2000	0.25	6.35	2000	1	0.4	1	N/A	MDG 1/4-2000
MDG 3/8-2000	0.38	9.65	2000	1	0.4	1	N/A	MDG 3/8-2000
MDG 1/2-2000	0.50	12.70	2000	1	0.4	1	N/A	MDG 1/2-2000
MDG 3/4-1000	0.75	19.05	1000	2	0.9	1	N/A	MDG 3/4-1000
MDG 1-500	1.00	25.40	500	2	0.9	1	N/A	MDG 1-500
<b>MDK Gold Kapton® Masking Disc</b>								
MDK 1/4-2000	0.25	6.35	2000	1	0.4	1	N/A	MDK 1/4-2000
MDK 3/8-2000	0.38	9.65	2000	1	0.4	1	N/A	MDK 3/8-2000
MDK 1/2-2000	0.50	12.70	2000	1	0.4	1	N/A	MDK 1/2-2000
MDK 3/4-1000	0.75	19.05	1000	2	0.9	1	N/A	MDK 3/4-1000
MDK 1-500	1.00	25.40	500	2	0.9	1	N/A	MDK 1-500




# WRAPS & DISCS

## MTS Series Silicone Masking Tape for Powder Coating




Series MTS Masking Tape is a silicone rubber masking tape which bonds to itself, making it ideal for applications where dust-collecting adhesive residues are undesirable. In addition to withstanding temperatures up to 500°F (260°C), it is an excellent electrical insulator.




**MTS Red Masking Tape**

Material: Silicone  
 Thickness: 20 Mil  
 Color: Red  
 Temperature: 500°F (260°C)



## DR Series Ding Ring Wrap-Arounds



Developed as a quick, effective means of protecting gear and tube sections, Series DR Ding Ring wrap-around protectors are both ruggedly designed and easy to use. These universally adjustable rings come in one size capable of wrapping up virtually any size tube diameter. The soft, thick vinyl material offers excellent impact protection, preventing many of the dents and scratches often caused by contact with tools or handling racks. The reusable Series DR Ding Rings can be easily cleaned using a mild detergent. As a result, they can be used hundreds of times to provide years of product protection.



MATERIAL: Flexible PVC  
 COLOR\*: Red





## MTS Series

Dimensions					Packaging				Caplug No.
A		Length Per Roll			Standard Carton		No. of Rolls	Mini Pak Quantity	
in	mm	yds	m	Shipping Wt. (Approx.)					
				lbs	kgs				
1.00	25.40	12	10.97	2	0.9	1	N/A	MTS 1-12	

## DR Series

Dimensions						Packaging				Caplug No.
A		B		C		Standard Carton		No. of Pieces	Mini Pak Quantity	
in	mm	in	mm	in	mm	Shipping Wt. (Approx.)				
						Lbs	Kgs			
12.75	323.85	1.0	25.4	Fits Tube O.D. from 1 to 4	25.4-101.6	22	10.0	200	N/A	DR-1
16.25	412.75	1.5	38.1	Fits Tube O.D. from 1 to 5	25.4-127.0	46	20.9	200	N/A	DR-2
22.00	558.80	3.0	76.2	Fits Tube O.D. from 1 to 7	25.4-177.8	28	12.7	200	N/A	DR-3