






CAPS Polaris Vinyl

VC Series Round Vinyl Caps

Series VC Caplugs are extremely flexible and durable protective closures which are ideal for use as thread protectors, dust and moisture seals, pipe and stud end color coding, and for masking during painting or plating operations.



MATERIAL: Vinyl
COLORS*: White, Black, Brown, Orange, Red, Green, Grey, Blue, Yellow – Call factory for colors in stock
AVAILABILITY: Consult Factory



- Note:**
- VC-054 has a maximum length of .750".
 - VC-062 has a maximum length of 1.25".
 - VC-080 through VC-125 have a maximum length of 1.5".
 - VC-140 through VC-250 have a maximum length of 2".
 - VC-281 through VC-21000 have various maximum lengths of up to 8". Call factory for details.

EXPANDED



VC Series

Dimensions						Packaging				Caplug No.
A		B		C		Standard Carton		Mini Pak Quantity		
in	mm	in	mm	in	mm	Shipping Wt. (Approx.)			No. of Pieces	
						lbs	kgs			
.054	1.37	.09	2.39	.625	9.53	2	0.1	5000	1000	VC-054-10
.062	1.57	.12	3.05	.625	9.53	2	0.9	5000	1000	VC-062-10
.072	1.83	.13	3.35	.625	9.53	3	1.3	5000	1000	VC-072-10
.080	2.03	.14	3.56	.625	9.53	2	0.9	5000	1000	VC-080-10
.093	2.36	.15	3.81	.750	19.05	3	1.3	5000	1000	VC-093-12
.109	2.77	.18	4.57	.750	19.05	3	1.3	5000	1000	VC-109-12
.125	3.18	.20	5.08	.500	12.70	3	1.3	5000	1000	VC-125-8
.125	3.18	.20	5.08	1.00	25.40	5	2.2	5000	1000	VC-125-16
.140	3.56	.21	5.33	.500	12.70	4	1.8	5000	1000	VC-140-8
.140	3.56	.21	5.33	1.00	25.40	7	3.1	5000	1000	VC-140-16
.156	3.96	.24	6.10	.500	12.70	4	1.8	5000	1000	VC-156-8
.156	3.96	.24	6.10	1.00	25.40	7	3.1	5000	1000	VC-156-16
.172	4.37	.25	6.35	.500	12.70	5	2.2	5000	1000	VC-172-8
.172	4.37	.25	6.35	1.00	25.40	8	3.6	5000	1000	VC-172-16
.187	4.75	.27	6.86	.500	12.70	6	2.7	5000	1000	VC-187-8
.187	4.75	.27	6.86	1.00	25.40	10	4.5	5000	1000	VC-187-16
.187	4.75	.27	6.86	1.50	38.10	17	7.6	4000	800	VC-187-24
.203	5.16	.29	7.37	.500	12.70	6	2.7	5000	1000	VC-203-8
.203	5.16	.29	7.37	1.00	25.40	11	4.9	5000	1000	VC-203-16
.218	5.54	.31	7.87	.500	12.70	7	3.1	5000	1000	VC-218-8
.218	5.54	.31	7.87	1.00	25.40	13	5.8	5000	1000	VC-218-16
.234	5.94	.32	8.13	.500	12.70	7	3.1	5000	1000	VC-234-8
.234	5.94	.32	8.13	1.00	25.40	13	5.8	5000	1000	VC-234-16
.250	6.35	.35	8.89	.500	12.70	7	3.1	5000	1000	VC-250-8
.250	6.35	.35	8.89	1.00	25.40	13	5.8	5000	1000	VC-250-16
.281	7.14	.38	9.65	.500	12.70	9	4.0	5000	1000	VC-281-8
.281	7.14	.38	9.65	1.00	25.40	15	6.8	5000	1000	VC-281-16
.304	7.72	.41	10.52	.500	12.70	12	5.4	5000	1000	VC-304-8
.304	7.72	.41	10.52	1.00	25.40	16	7.2	4000	800	VC-304-16
.312	7.93	.42	10.67	.500	12.70	11	4.9	5000	1000	VC-312-8
.312	7.93	.42	10.67	1.00	25.40	17	7.6	5000	1000	VC-312-16
.312	7.93	.41	10.41	1.50	38.10	14	6.3	2500	500	VC-312-24
.343	8.71	.45	11.43	.500	12.70	12	5.4	5000	1000	VC-343-8
.343	8.71	.45	11.43	1.00	25.40	11	4.9	2500	500	VC-343-16
.375	9.53	.50	12.70	.500	12.70	16	7.2	5000	1000	VC-375-8
.375	9.53	.50	12.70	1.00	25.40	14	6.3	2500	500	VC-375-16
.406	10.31	.53	13.46	.500	12.70	16	7.2	5000	1000	VC-406-8
.406	10.31	.53	13.46	1.00	25.40	14	6.3	2500	500	VC-406-16
.437	11.10	.56	14.22	.500	12.70	17	7.6	5000	1000	VC-437-8
.437	11.10	.56	14.22	1.00	25.40	15	6.8	2500	500	VC-437-16
.467	11.86	.58	14.66	.500	12.70	16	7.2	5000	1000	VC-467-8
.467	11.86	.58	14.66	1.00	25.40	15	6.8	2500	500	VC-467-16
.500	12.70	.62	15.75	.500	12.70	17	7.6	5000	1000	VC-500-8
.500	12.70	.62	15.75	1.00	25.40	15	6.8	2500	500	VC-500-16
.531	13.49	.65	16.51	.500	12.70	18	8.1	5000	1000	VC-531-8
.531	13.49	.65	16.51	1.00	25.40	16	7.2	2500	500	VC-531-16
.562	14.28	.69	17.53	.500	12.70	10	4.5	2500	500	VC-562-8
.562	14.28	.69	17.53	1.00	25.40	18	8.1	2500	500	VC-562-16
.625	15.88	.76	19.30	.500	12.70	12	5.4	2500	500	VC-625-8
.625	15.88	.76	19.30	1.00	25.40	20	9.0	2500	500	VC-625-16
.625	15.88	.75	19.05	1.50	38.10	24	10.9	2000	400	VC-625-24
.687	17.45	.82	20.83	.500	12.70	14	6.3	2500	500	VC-687-8
.687	17.45	.82	20.83	1.00	25.40	10	4.5	1000	200	VC-687-16
.750	19.05	.88	22.35	.500	12.70	16	7.2	2500	500	VC-750-8
.750	19.05	.88	22.35	1.00	25.40	11	4.9	1000	200	VC-750-16
.812	20.63	.94	23.88	.500	12.70	16	7.2	2500	500	VC-812-8
.812	20.63	.94	23.88	1.00	25.40	11	4.9	1000	200	VC-812-16
.812	20.63	.94	23.88	1.50	38.10	17	7.6	1000	200	VC-812-24
.875	22.23	1.02	25.91	.500	12.70	17	7.6	2500	500	VC-875-8
.875	22.23	1.02	25.91	1.00	25.40	12	5.4	1000	200	VC-875-16
.875	22.23	1.01	25.66	1.50	38.10	19	8.6	1000	200	VC-875-24
.937	23.80	1.08	27.43	.500	12.70	19	8.6	2500	500	VC-937-8

Lengths are available in 1/16" (1.6mm) increments. Length tolerance is ±1/16" (1.6mm).



CAPS Polaris Vinyl

VC Series Round Vinyl Caps (cont'd)

Caplug No.	Dimensions						Packaging			
	A		B		C		Standard Carton		No. of Pieces	Mini Pak Quantity
	in	mm	in	mm	in	mm	Shipping Wt. (Approx.)			
						lbs	kgs			
VC-937-16	.937	23.80	1.08	27.43	1.000	25.40	13	5.8	1000	200
VC-1000-8	1.000	25.40	1.14	28.96	.500	12.70	9	4.0	1000	200
VC-1000-16	1.000	25.40	1.14	28.96	1.000	25.40	14	6.3	1000	200
VC-1000-24	1.000	25.40	1.13	28.70	1.500	38.10	24	10.9	1000	200
VC-1062-16	1.062	26.97	1.21	30.73	1.000	25.40	19	8.6	1200	240
VC-1090-16	1.090	27.69	1.22	30.99	1.000	25.40	18	8.1	1200	240
VC-1125-16	1.125	28.57	1.28	32.51	1.000	25.40	20	9.0	1200	240
VC-1187-16	1.187	30.14	1.34	34.04	1.000	25.40	18	8.1	1000	200
VC-1250-16	1.250	31.75	1.40	35.56	1.000	25.40	19	8.6	1000	200
VC-1250-24	1.250	31.75	1.38	35.05	1.500	38.10	16	7.2	500	100
VC-1312-16	1.312	33.32	1.45	36.88	1.000	25.40	18	8.1	800	160
VC-1312-24	1.312	33.32	1.45	36.88	1.500	38.10	19	8.6	600	120
VC-1375-16	1.375	34.92	1.53	38.86	1.000	25.40	17	7.7	800	160
VC-1375-24	1.375	34.92	1.51	38.35	1.500	38.10	14	6.3	400	80
VC-1500-16	1.500	38.10	1.66	42.16	1.000	25.40	18	8.1	750	150
VC-1500-24	1.500	38.10	1.63	41.40	1.500	38.10	13	5.8	300	60
VC-1593-16	1.593	40.46	1.72	43.76	1.000	25.40	19	8.6	750	150
VC-1625-16	1.625	41.27	1.79	45.47	1.000	25.40	20	9.0	750	150
VC-1687-16	1.687	42.84	1.85	46.99	1.000	25.40	19	8.6	700	140
VC-1750-16	1.750	44.45	1.91	48.51	1.000	25.40	20	9.0	700	140
VC-1875-16	1.875	47.62	2.04	51.82	1.000	25.40	19	8.6	600	120
VC-2000-16	2.000	50.80	2.16	54.86	1.000	25.40	20	9.0	600	120
VC-2000-24	2.000	50.80	2.13	54.10	1.500	38.10	16	7.2	300	60
VC-2125-16	2.125	53.98	2.275	57.79	1.000	25.40	17	7.6	500	100
VC-2156-16	2.156	54.76	2.306	58.57	1.000	25.40	16	7.2	500	100
VC-2250-16	2.250	57.15	2.400	60.96	1.000	25.40	22	10.0	500	100
VC-2250-24	2.250	57.15	2.400	60.96	1.500	38.10	20	9.0	300	60
VC-2375-16	2.375	59.56	2.525	64.14	1.000	25.40	20	9.0	400	80
VC-2375-24	2.375	59.56	2.525	64.14	1.500	38.10	20	9.0	300	60
VC-2460-16	2.460	62.48	2.610	66.29	1.000	25.40	19	8.6	400	80
VC-2500-16	2.500	63.50	2.650	67.31	1.000	25.40	21	9.5	400	80
VC-2500-24	2.500	63.50	2.650	67.31	1.500	38.10	19	8.6	250	50
VC-2625-16	2.625	66.67	2.775	70.49	1.000	25.40	23	10.4	400	80
VC-2625-24	2.625	66.67	2.775	70.49	1.500	38.10	13	5.8	200	40
VC-2687-16	2.687	68.25	2.847	72.31	1.000	25.40	23	10.4	400	80
VC-2750-16	2.750	69.85	2.910	73.91	1.000	25.40	19	8.6	300	60
VC-2750-24	2.750	69.85	2.910	73.91	1.500	38.10	12	5.4	200	40
VC-2875-16	2.875	73.03	3.035	77.09	1.000	25.40	13	5.8	250	50
VC-3000-16	3.000	76.20	3.160	80.26	1.000	25.40	18	8.1	250	50
VC-3000-24	3.000	76.20	3.160	80.26	1.500	38.10	25	11.3	250	50
VC-3125-16	3.125	79.37	3.285	83.44	1.000	25.40	15	6.8	250	N/A
VC-3125-24	3.125	79.37	3.285	83.44	1.500	38.10	27	12.2	300	N/A
VC-3250-18	3.250	82.55	3.410	86.61	1.125	25.40	16	7.2	200	N/A
VC-3375-18	3.375	85.73	3.535	89.79	1.125	25.40	13	5.8	200	N/A
VC-3500-18	3.500	88.90	3.660	92.96	1.125	25.40	13	5.8	150	N/A
VC-3500-24	3.500	88.90	3.660	92.96	1.500	38.10	18	8.1	200	N/A
VC-3625-18	3.625	92.08	3.785	96.14	1.125	28.58	15	6.8	200	N/A
VC-3750-18	3.750	92.25	3.910	99.31	1.125	28.58	19	8.6	200	N/A
VC-3875-18	3.875	98.43	4.035	102.49	1.125	28.58	20	9.0	200	N/A
VC-4000-20	4.000	101.60	4.160	105.66	1.250	31.75	12	5.4	100	N/A
VC-4125-20	4.125	104.78	4.285	108.84	1.250	31.75	18	8.1	150	N/A
VC-4187-20	4.187	106.35	4.347	110.41	1.250	31.75	13	5.8	100	N/A
VC-4250-20	4.250	107.95	4.410	112.01	1.250	31.75	18	8.1	150	N/A
VC-4375-20	4.375	111.13	4.535	115.19	1.250	31.75	19	8.6	150	N/A
VC-4500-20	4.500	114.30	4.660	118.36	1.250	31.75	20	9.0	150	N/A
VC-4750-20	4.750	120.65	4.910	124.71	1.250	31.75	21	9.5	150	N/A
VC-5000-22	5.000	127.00	5.180	131.57	1.375	34.93	20	9.0	125	N/A



VC Series (cont'd)

Dimensions						Packaging				Caplug No.
A		B		C		Standard Carton		Mini Pak Quantity		
in	mm	in	mm	in	mm	Shipping Wt. (Approx.)			No. of Pieces	
						lbs	kgs			
5.187	131.75	5.367	136.32	1.375	34.93	21	9.5	125	N/A	VC-5187-22
5.375	136.53	5.555	141.10	1.375	34.93	20	9.0	100	N/A	VC-5375-22
5.500	139.70	5.680	144.27	1.375	34.93	21	9.5	100	N/A	VC-5500-22
6.000	152.40	6.180	156.97	1.500	38.10	22	10.0	90	N/A	VC-6000-24
6.250	158.75	6.430	163.32	1.500	38.10	23	10.4	90	N/A	VC-6250-24
6.500	165.10	6.680	169.67	1.500	38.10	22	10.0	80	N/A	VC-6500-24
7.000	177.80	7.180	182.37	1.500	38.10	16	7.2	50	N/A	VC-7000-24
7.250	184.15	7.430	188.72	1.500	38.10	22	10.0	70	N/A	VC-7250-24
7.500	190.50	7.680	195.07	1.500	38.10	19	8.6	50	N/A	VC-7500-24
7.750	196.85	7.930	201.42	1.750	44.45	19	8.6	50	N/A	VC-7750-28
8.000	203.20	8.180	207.77	1.750	44.45	20	9.0	50	N/A	VC-8000-28
8.500	215.90	8.680	220.47	1.750	44.45	22	10.0	50	N/A	VC-8500-28
8.750	222.25	8.930	226.82	1.750	44.45	23	10.4	50	N/A	VC-8750-28
9.000	228.60	9.200	233.68	1.750	44.45	21	9.5	40	N/A	VC-9000-28
9.250	234.95	9.450	240.03	1.750	44.45	22	10.0	40	N/A	VC-9250-28
9.375	238.10	9.575	243.21	1.750	44.45	22	10.0	40	N/A	VC-9375-28
9.500	241.30	9.700	246.38	1.750	44.45	23	10.4	40	N/A	VC-9500-28
9.625	244.48	9.825	249.56	1.750	44.45	23	10.4	40	N/A	VC-9625-28
9.875	250.83	10.075	255.91	1.750	44.45	24	10.9	40	N/A	VC-9875-28
10.000	254.00	10.200	259.08	2.000	50.80	23	10.4	35	N/A	VC-10000-32
10.312	261.92	10.512	267.00	2.000	50.80	17	7.6	25	N/A	VC-10312-32
10.750	273.05	10.950	278.13	2.000	50.80	18	8.1	25	N/A	VC-10750-32
11.000	279.40	11.200	284.48	2.000	50.80	19	8.6	25	N/A	VC-11000-32
11.375	288.93	11.575	294.01	2.000	50.80	19	8.6	25	N/A	VC-11375-32
11.750	298.45	11.950	303.53	2.000	50.80	20	9.0	25	N/A	VC-11750-32
12.000	304.80	12.200	309.88	2.000	50.80	21	9.5	25	N/A	VC-12000-32
12.250	311.15	12.450	316.23	2.000	50.80	22	10.0	25	N/A	VC-12250-32
12.500	317.50	12.700	322.58	2.000	50.80	22	10.0	25	N/A	VC-12500-32
12.625	320.68	12.825	325.76	2.000	50.80	23	10.4	25	N/A	VC-12625-32
12.875	327.03	13.075	332.11	2.000	50.80	23	10.4	25	N/A	VC-12875-32
13.250	336.50	13.470	342.14	2.000	50.80	24	10.9	25	N/A	VC-13250-32
13.500	342.90	13.720	348.49	2.000	50.80	25	11.3	25	N/A	VC-13500-32
13.600	345.44	13.820	351.03	2.000	50.80	26	11.8	25	N/A	VC-13600-32
14.000	355.60	14.220	361.19	2.000	50.80	27	12.2	25	N/A	VC-14000-32
14.250	361.95	14.470	367.54	2.000	50.80	27	12.2	25	N/A	VC-14250-32
14.500	368.30	14.720	373.89	2.000	50.80	28	12.7	25	N/A	VC-14500-32
15.000	381.00	15.220	386.59	2.000	50.80	30	13.6	25	N/A	VC-15000-32
15.625	396.88	15.845	402.46	2.000	50.80	32	14.5	25	N/A	VC-15625-32
15.875	403.23	16.115	409.32	2.000	50.80	33	15.0	25	N/A	VC-15875-32
16.000	406.50	16.240	412.50	2.000	50.80	40	18.1	25	N/A	VC-16000-32
16.500	419.10	16.740	425.20	2.000	50.80	42	19.1	25	N/A	VC-16500-32
17.375	441.33	17.615	447.42	2.500	63.50	49	22.2	25	N/A	VC-17375-40
18.000	457.20	18.240	463.30	2.500	63.50	52	23.6	25	N/A	VC-18000-40
19.000	482.60	19.240	488.70	2.500	63.50	56	25.4	25	N/A	VC-19000-40
20.000	508.00	20.240	514.10	2.500	63.50	62	28.1	25	N/A	VC-20000-40
21.000	533.40	21.240	539.50	2.500	63.50	68	30.8	25	N/A	VC-21000-40

Lengths are available in 1/16" (1.6mm) increments. Length tolerance is ±1/16" (1.6mm).

